



↑ ↑ ↑

PAYLOAD

STRENGTH

MAINTENANCE

DOWNTIME

↓ ↓ ↓

Hicks Manufacturing, LLC 1365 Allen Drive Minden, LA 71055 877-533-0433 www.hickstrailers.com

No one else builds like this.

Hicks is the only manufacturer offering a fully bolted, weld-free aluminum body. No weld cracks. No warping. No costly downtime. Our customers are adding to and upgrading their fleets because they know Hicks trailers deliver. We build for lighter weight, superior strength, and long-term durability—so you can haul more, maintain less, and stay on the road longer. Our modular design makes repairs fast, simple, and cost-effective, restoring your trailer to like-new condition with minimal effort.

With 70+ years innovation.

Proudly serving the hauling industry for over 70 years, the Hicks family innovation in building trailers demonstrates the superior performance of bolted joints. Like a truck chassis frame or a bridge, bolting with Huckbolts® is superior to welding.

Call us for a quote. 877-533-0433



FRAMELESS

FRAME TYPE



DUMP BODY

CHOOSE FROM POPULAR SPECS OR CUSTOMIZE YOUR OWN

Lengths

24 ft	26 ft	27 ft	28 ft	30 ft	31 ft	\						
32 ft	34 ft	35 ft	37 ft	38 ft	43 ft							
						Inside Width	Outside Width	- <				
						77 "	84 "	1.5	Side Heights			
						93 "	104 "				0	
								11 "	EO "	E / "	60 "	61"

Bolting with Huckbolts® is superior to welding.




Superior Strength

Degradation occurs in raw material during welding. Designed with 2 times the strength and 10 times the life, Hicks's patented, weld-free, aluminum dump body and trailer design is constructed with 3.5" double-wall aluminum extrusions that interlock with HuckBolts® fasteners. https://www.hfsindustrial.com/us/huck_replaces_welding

Hicks Key Features:

- Bolted body with superior strength
- 3.5" double walls
- DOM steel hinge with greater stability, longer life, less maintenance
- Inverted Cylinder = no doghouse = easy service and exceptional strength and integrity in an area which ordinarily needs frequent weld maintenance and repairs
- LED lights
- Rotating tailgate lock
- Replaceable, protective switch & valve cartridge
- Aluminum stiff legs
- Kingpin rollers
- Trapezoid member subframe
- Modularity wtih replaceable floors, sides, posts, sills, lightbox



A floor with welded crossmembers will always distort from heat. The result is a "washboard" surface with high spots that will wear excessively with discharge payload.



HICKS CUSTOMER SERVICE IS SECOND TO NONE

Give our Customer Support Team the opportunity to serve you through the life of your Hicks dump body or trailer.



We make it easy to contact us:
Phone: 877-533-0433 Option 3
Email: customerservice@hickstrailers.com
www.hickstrailers.com
https://www.facebook.com/HicksTrailers
1365 Allen Drive
Minden, LA 71055

HICKS DUMP BODIES AND TRAILERS INCLUDE 100% WARRANTY ON PARTS FOR 5 YEARS, LABOR 1 YEAR



THREE GENERATIONS OF AMERICAN MANUFACTURING



For over 70 years, we have dedicated ourselves to maximizing your uptime and payload. We understand how painful costly maintenance and repairs are. Glen Hicks recognized as early as the 1950s that bolted joints perform in areas where welded joints fail. Aluminum alloys used in extrusions lose much of their yield strength when welded. Hicks has structural integrity in areas of commonly low yield strength where competitors' units crack. Hicks will provide you with lower weight, a beautiful finish, and greater durability.

